

ADDENDUM: APPENDIX II – Volume 3

ECTOPARASITES OF AUSTRALIAN, NEW ZEALAND AND ANTARCTIC BIRDS

M.D. Murray^A, R.L. Palma^B and R.L.C. Pilgrim^C

INTRODUCTION

This checklist covers the ectoparasites of birds described in Volume 3 of HANZAB. It was not published in Volume 3 owing to lack of space. For completeness, we have included new ectoparasite records and other nomenclatorial novelties published since the publication of Volume 3.

SELECTED BIBLIOGRAPHY

LICE

- Green, R.H., & R.L. Palma. 1991. Rec. Queen Vict. Mus. 100: 1–43.
 Palma, R.L. 1999. Notornis 46: 373–87.
 —— 2000. NZ J. Zool. 27(2): 121–8.
 ——, & S.C. Barker. 1996. Zool. Cat. Aust. 26: 81–247.
 Pilgrim, R.L.C., & R.L. Palma. 1982. Notornis (Suppl.) 29: 32.
 Price, R.D., et al. 2000. J. Parasitol. 86(5): 948–50.
 Stranger, R.H., & R.L. Palma. 1998. Rec. West. Aust. Mus. 19: 169–86.
- A** 17 Ashmore Ave, Pymble, New South Wales 2073, Australia
B Museum of New Zealand, PO Box 467, Wellington, New Zealand
C Department of Zoology, University of Canterbury, Christchurch 1, New Zealand

CHECKLIST OF ECTOPARASITES

Family SCOLOPACIDAE

Coenocorypha pusilla

- LICE: *Quadraceps coenocoryphae* Timmermann, 1955
 FLEAS: *Parapsyllus longicornis* (Enderlein, 1901)
Parapsyllus lynnae mariae Smit, 1979

Coenocorypha aucklandica huegeli

- LICE: *Quadraceps coenocoryphae* Timmermann, 1955
 FLEAS: *Parapsyllus lynnae lynnae* Smit, 1965

Coenocorypha aucklandica meinertzhagena

- LICE: *Austromenopon* sp.
 FLEAS: *Papigysylla galliralli* (Smit, 1965)
Parapsyllus cardinis Dunnet, 1961

Coenocorypha aucklandica aucklandica

- LICE: *Austromenopon* sp.
Quadraceps coenocoryphae Timmerman, 1955

Limosa limosa

- LICE: *Actornithophilus spinulosus* (Piaget, 1880)
Austromenopon limosae Timmermann, 1954
Carduiceps cingulatus (Denny, 1842)
Lunaceps limosella Timmermann, 1954
Saemundssonia (Saemundssonia) thompsoni Timmermann, 1951

Limosa lapponica

- LICE: *Actornithophilus limosae* (Kellogg, 1908)
Austromenopon meyeri (Giebel, 1874)
Carduiceps cingulatus (Denny, 1842)
Lunaceps limosella Timmermann, 1954
Saemundssonia (Saemundssonia) limosae (Denny, 1842)

Numenius phaeopus

- LICE: *Austromenopon phaeopodis* (Schrank, 1802)
Lunaceps numenii oliveri (Johnston & Harrison, 1912)
Saemundssonia (Saemundssonia) scolopacisphaeopodis
scolopacisphaeopodis (Schrank, 1803)

Numenius madagascariensis

- LICE: *Lunaceps numenii numenii* (Denny, 1842)

Arenaria interpres

- LICE: *Actornithophilus bicolor* (Piaget, 1880)
Actornithophilus pediculoides (Mjöberg, 1910)
Austromenopon lutescens (Burmeister, 1838)
Quadraceps strepsilaris (Denny, 1842)

FLEAS

- Calder, A.A. 1996. Zool. Cat. Aust. 28: 136–97.
 Dunnet, G.M., & D.K. Mardon. 1974. Aust. J. Zool. Suppl. Ser. 30: 273.
 Smit, F.G.A.M. 1979. J. R. Soc. NZ 9: 143–232.
 —— 1987. An Illustrated Catalogue of the Rothschild Collection of Fleas (Siphonaptera) in the British Museum (Natural History). VII. Brit. Mus. Nat. Hist., London.

LOUSE-FLIES

- Maa, T.C. 1966. Pac. Insects Monogr. 10: 1–148.
 —— 1969. Pac. Insects Monogr. 20: 1–312.
 —— 1986. J. Taiwan Mus. 39: 83–92.

TICKS

- Dumbleton, L.J. 1961. NZ J. Sci. 4: 760–9.
 —— 1963. Tuatara 11: 72–8.
 Heath, A.C.G. 1977. Tuatara 23: 26–39.
 Keirans, J.E. 1984. U.S. Dept Agric. Misc. Publ. 1438: 1785.
 Kaiser, M., & H. Hoogstral. 1974. Ann. Ent. Soc. Amer. 67: 5–10.
 ——, —— 1975. Ann. Ent. Soc. Amer. 68: 585–90.
 Roberts, F.H.S. 1970. Australian Ticks. CSIRO Pubs, Melbourne.

Calidris tenuirostris

- LICE: *Actornithophilus* sp.
Lunaceps drosti Timmermann, 1954
Saemundssonia (Saemundssonia) tringae sibiriae Martens, 1974

Calidris canutus

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Austromenopon lutescens (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps drosti Timmermann, 1954
Saemundssonia (Saemundssonia) tringae tringae (O. Fabricius, 1780)

Calidris alba

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps actophilus (Kellogg & Chapman, 1899)

Calidris ruficollis

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps sp.
Saemundssonia (Saemundssonia) tringae tringae (O. Fabricius, 1780)

Calidris melanotos

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)

Calidris acuminata

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps sp.

Calidris ferruginea

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Lunaceps incoenis (Kellogg & Chapman, 1899)

Family GLAREOLIDAE

Glareola maldivarum

- LICE: *Actornithophilus* sp.
Austromenopon sp.
Quadraceps ellipticus (Nitzsch [in Giebel], 1866)

Family LARIDAE

Catharacta skua lonnbergi

- LICE: *Austromenopon fuscofasciatum* (Piaget, 1880)
Haffneria grandis (Piaget, 1880)

FLEAS:	<i>Saemundssonia (Saemundssonia) euryrhyncha</i> (Giebel, 1874)	
Catharacta maccormicki	<i>Parapsyllus heardi</i> de Meillon, 1952	
LICE:	<i>Austromenopon fuscofasciatum</i> (Piaget, 1880) <i>Haffneria grandis</i> (Piaget, 1880) <i>Quadraceps alpha</i> (Kellogg, 1914) <i>Saemundssonia (Saemundssonia) euryrhyncha</i> (Giebel, 1874)	
Stercorarius parasiticus		
LICE:	<i>Austromenopon fuscofasciatum</i> (Piaget, 1880) <i>Haffneria grandis</i> (Piaget, 1880) <i>Quadraceps normifer normifer</i> (Grube, 1851) <i>Saemundssonia (Saemundssonia) cephalus</i> (Denny, 1842)	
Stercorarius longicaudus		
LICE:	<i>Austromenopon fuscofasciatum</i> (Piaget, 1880) <i>Quadraceps normifer parvopalidus</i> (Eichler, 1951) <i>Saemundssonia (Saemundssonia) inexpectata</i> Timmermann, 1951	
Larus pacificus		
LICE:	<i>Quadraceps punctatus ventosus</i> Timmermann, 1952 <i>Saemundssonia (Saemundssonia) lari</i> (O. Fabricius, 1780)	
Larus dominicanus		
LICE:	<i>Actornithophilus piceus lari</i> (Packard, 1870) <i>Austromenopon transversum</i> (Denny, 1842) <i>Quadraceps ornatissimus fuscolaminatus</i> (Enderlein, 1908) <i>Quadraceps punctatus</i> (Burmeister, 1838) sensu lato <i>Saemundssonia (Saemundssonia) lari</i> (O. Fabricius, 1780)	
FLEAS:	<i>Notiopsylla kerguelensis kerguelensis</i> (Taschenberg, 1880) <i>Parapsyllus longicornis</i> (Enderlein, 1901) <i>Parapsyllus nestoris nestoris</i> Smit, 1965	
TICKS:	<i>Ixodes eudyptidis</i> Maskell, 1885	
Larus novaehollandiae novaehollandiae		
LICE:	<i>Actornithophilus piceus lari</i> (Packard, 1870) <i>Austromenopon transversum</i> (Denny, 1842) <i>Quadraceps punctatus lingulatus</i> (Waterston, 1914) <i>Saemundssonia (Saemundssonia) lari</i> (O. Fabricius, 1780)	
FLEAS:	<i>Parapsyllus australiacus</i> Rothschild, 1909	
TICKS:	<i>Ixodes eudyptidis</i> Maskell, 1885	
Larus novaehollandiae scopulinus		
LICE:	<i>Actornithophilus piceus lari</i> (Packard, 1870) <i>Austromenopon transversum</i> (Denny, 1842) <i>Quadraceps punctatus lingulatus</i> (Waterston, 1914) <i>Saemundssonia (Saemundssonia) lari</i> (O. Fabricius, 1780)	
FLEAS:	<i>Parapsyllus longicornis</i> (Enderlein, 1901) <i>Parapsyllus magellanicus magellanicus</i> Jordan, 1938	
TICKS:	<i>Ixodes eudyptidis</i> Maskell, 1885 <i>Ornithodoros capensis</i> Neumann, 1901	
Larus bulleri		
LICE:	<i>Austromenopon transversum</i> (Denny, 1842) <i>Quadraceps punctatus</i> (Burmeister, 1838) sensu lato <i>Saemundssonia (Saemundssonia) lari</i> (O. Fabricius, 1780)	
Sterna caspia		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps caspius</i> (Giebel, 1874)	
Sterna bengalensis		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps sellatus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) laticaudata</i> (Rudow, 1869)	
Sterna bergii		
LICE:	<i>Actornithophilus piceus piceus</i> (Denny, 1842) <i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps sellatus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) laticaudata</i> (Rudow, 1869)	
Sterna bergii cristata		
LICE:	<i>Actornithophilus piceus piceus</i> (Denny, 1842)	
Sterna striata		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps sellatus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) sternae</i> (Linnaeus, 1758)	
Sterna hirundo		
LICE:	<i>Quadraceps sellatus</i> (Burmeister, 1838)	
Sterna paradisea		
LICE:	<i>Quadraceps houri</i> Hopkins, 1949 <i>Saemundssonia (Saemundssonia) lockleyi</i> Clay, 1949	
Sterna vittata		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps houri</i> Hopkins, 1949 <i>Quadraceps sellatus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) lockleyi</i> Clay, 1949	
Sterna albostriata		
LICE:	<i>Quadraceps sp.</i>	
Sterna albifrons		
LICE:	<i>Quadraceps nycthemerus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) melanocephalus</i> (Burmeister, 1838)	
Sterna nereis		
LICE:	<i>Quadraceps nycthemerus</i> (Burmeister, 1838) <i>Saemundssonia (Saemundssonia) melanocephalus</i> (Burmeister, 1838)	
TICKS:	<i>Ixodes kohlsi</i> Arthur, 1955	
Sterna anaethetus		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps legatus</i> Timmermann, 1952 <i>Saemundssonia (Saemundssonia) meridiana</i> Timmermann, 1950 <i>Saemundssonia (Saemundssonia) lockleyi</i> Clay, 1949	
Sterna fuscata		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps birostris</i> (Giebel, 1874) <i>Saemundssonia (Saemundssonia) albemarlensis</i> (Kellogg & Kuwana, 1902)	
TICKS:	<i>Amblyomma loculosum</i> Neumann, 1907 <i>Ornithodoros capensis</i> Neumann, 1901	
Chlidonias hybridus		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps anagrapta</i> (Nitzsch [in Giebel], 1866) <i>Saemundssonia (Saemundssonia) lobaticeps lobaticeps</i> (Giebel, 1874)	
Chlidonias leucopterus		
LICE:	<i>Austromenopon atrofulvum</i> (Piaget, 1880)	
Anous stolidus		
LICE:	<i>Actornithophilus incisus</i> (Piaget, 1880) <i>Quadraceps separatus</i> (Kellogg & Kuwana, 1902)	
Anous minutus		
LICE:	<i>Actornithophilus ceruleus</i> (Timmermann, 1954) <i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps hopkinsi hopkinsi</i> Timmermann, 1952 <i>Saemundssonia (Saemundssonia) lobaticeps remota</i> Timmermann, 1951	
TICKS:	<i>Amblyomma loculosum</i> Neumann, 1907 <i>Ornithodoros capensis</i> Neumann, 1901	
Anous tenuirostris		
LICE:	<i>Actornithophilus ceruleus</i> (Timmermann, 1954) <i>Quadraceps hopkinsi hopkinsi</i> Timmermann, 1952	
Procelsterna cerulea albivittata		
LICE:	<i>Actornithophilus ceruleus</i> (Timmermann, 1954) <i>Austromenopon atrofulvum</i> (Piaget, 1880) <i>Quadraceps hopkinsi apophoretus</i> Timmermann, 1969	
Gygis alba		
LICE:	<i>Saemundssonia (Saemundssonia) sp.</i>	
Family COLUMBIDAE		
Columba livia		
LICE:	<i>Bonomiella columbae</i> Emerson, 1957 <i>Campanulotes bidentatus compar</i> (Burmeister, 1838) <i>Coloceras damicorne</i> (Nitzsch, 1866) <i>Colpocephalum turbinatum</i> Denny, 1842 <i>Columbicola columbae</i> (Linnaeus, 1758) <i>Hohoristiella lata</i> (Piaget, 1880)	
FLEAS:	<i>Echidnophaga gallinacea</i> (Westwood, 1875)	
TICKS:	<i>Argas persicus</i> group	
Streptopelia senegalensis		
LICE:	<i>Coloceras piageti</i> (Johnston & Harrison, 1912)	
Streptopelia chinensis chinensis		
LICE:	<i>Coloceras chinense</i> (Kellogg & Chapman, 1902)	

Streptopelia chinensis tigrina	Ocyphaps lophotes
LICE:	Campanulotes diurdeni Price, Clayton & Adams, 2000
Coloceras chinense (Kellogg & Chapman, 1902)	Coloceras sp.
Coloceras piageti (Johnston & Harrison, 1912)	Columbicola mckeani Tendeiro, 1973
Colpocephalum longicaudum	Echidnophaga gallinacea (Westwood, 1875)
Nitzsch [in Giebel], 1866	
Phaps chalcoptera	Geophaps plumifera
LICE:	Coloceras sp.
Campanulotes flavius (Rudow, 1869)	Columbicola sp.
Coloceras grande Tendeiro, 1973	
Columbicola angustus (Rudow, 1869)	
Physconelloides strangeri Tendeiro, 1980	
LOUSE-FLIES: Ornithomya nigricornis Erichson, 1842	
Phaps chalcoptera chalcoptera	Ptilinopus magnificus magnificus, Ptilinopus magnificus assimilis
LICE:	Columbicola tasmaniensis Tendeiro, 1967
Columbicola tasmaniensis Tendeiro, 1967	
Physconelloides australiensis Tendeiro, 1969	
LOUSE-FLIES: Ornithomya nigricornis Erichson, 1842	
Phaps elegans	Lopholaimus antarcticus
LICE:	Coloceras furcatum (Kéler, 1939)
Campanulotes elegans (Tendeiro, 1978)	
Coloceras sp.	
Columbicola tasmaniensis Tendeiro, 1967	
Physconelloides australiensis Tendeiro, 1969	
LOUSE-FLIES: Ornithomya nigricornis Erichson, 1842	
Hemiphaga novaeseelandiae novaeseelandiae	Hemiphaga novaeseelandiae chathamensis
LICE:	Coloceras harrisoni (Tendeiro, 1972)
Hemiphaga novaeseelandiae spadicea	
LICE:	Coloceras hemiphae (Tendeiro, 1972)
	Coloceras restinctum (Tendeiro, 1972)

Table 1. Genera of lice associated with families of birds.

SUB-ORDERS AND GENERA OF LICE		
	Amblycera	Ischnocera
Charadriiformes		
Jacanidae		Rallicola, Saemundssonia
Chionidiidae		Quadraceps, Saemundssonia
Haematopodidae		Quadraceps, Saemundssonia
Recurvirostridae		Quadraceps, Saemundssonia
Charadriidae		Quadraceps, Saemundssonia
Scolopacidae		
Tringinae	Actomithophilus	Carduiceps, Lunaceps, Saemundssonia
Arenariinae	Actomithophilus	Quadraceps
Calidrininae	Austromenopon	Carduiceps, Lunaceps, Saemundssonia
Glareolidae	Actomithophilus, Austromenopon	Quadraceps
Laridae	Actomithophilus, Austromenopon	Haffneria, Quadraceps, Saemundssonia
Columbiformes	Bonomiella, Colpocephalum, Hohorstiella	Campanulotes, Coloceras, Columbicola, Physconelloides
Columbidae		